



SERALAR 2022-1

GREENHOUSES / INVERNADEROS / ТЕПЛИЦА


البوت البلاستيكية




SERALAR/2022-1

GREENHOUSES / INVERNADEROS / ОБОРУДОВАНИЕ / البيوت البلاستيكية

6 MT Oluklu Seralar / Greenhouse With Gutter / Invernaderos De 6m Con Canalones / Теплица С Желобом / البيوت البلاستيكية بقناة



Model / Modelo	AS-MTG-6000-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4600 MM / 5600 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3000 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno
Model / Modelo	AS-MTG-6000-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4600 MM / 5600 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3000 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno
Model / Modelo	AS-MTG-6000-C
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4600 MM / 5600 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3000 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno


6,4 MT Oluklu Seralar / Greenhouse With Gutter / Invernaderos De 6m Con Canalones / Теплица С Желобом / البيوت البلاستيكية بقناة


Model / Modelo	AS-MTG-6400-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6400 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4800 MM / 5300 MM / 5800 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3000 MM / 3500 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno
Model / Modelo	AS-MTG-6400-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6400 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4800 MM / 5300 MM / 5800 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3000 MM / 3500 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno
Model / Modelo	AS-MTG-6400-C
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	6400 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	4800 MM / 5300 MM / 5800 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3000 MM / 3500 MM / 4000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

SERALAR/2022-1

GREENHOUSES / INVERNADEROS / ОБОРУДОВАНИЕ / البيوت البلاستيكية


8 MT Oluklu Seralar / Greenhouse With Gutter / Invernaderos De 8m Con Canales / Теплица С Желобом / البيوت البلاستيكية بقناة



Model / Modelo	AS-MTG-8000-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	8000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	5700 MM / 8200 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

Model / Modelo	AS-MTG-8000-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	8000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	5700 MM / 8200 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

Model / Modelo	AS-MTG-8000-C
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	8000 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	5700 MM / 8200 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1) / Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L) / Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

9,6 MT Oluklu Seralar / Greenhouse With Gutter / Invernaderos De 9,6m Con Canalones / Теплица С Желобом / البيوت البلاستيكية بقناة


Model / Modelo	AS-MTG-9600-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	9600 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	6200 MM / 8700 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno


Model / Modelo	AS-MTG-9600-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	9600 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	6200 MM / 8700 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

Model / Modelo	AS-MTG-9600-C
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent./Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	9600 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	6200 MM / 8700 MM
Oluk Altı Yüksekliği (H1) / Under Gutter Height (H1)/Bajo La Altura Del Canalón	3500 MM / 6000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2)/Rango De Armadura	2500 MM / 3000 MM
Direk Arası (L) / Distance Between Columns (L)/Rango De Columna	2500 MM / 3000 MM / 5000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno


SERALAR/2022-1

GREENHOUSES / INVERNADEROS / ОБОРУДОВАНИЕ / البيوت البلاستيكية


9 - 10 MT Tünel Seralar / Greenhouse Tunnel / Invernaderos De Túnel / Туннельная Теплица / نفق البيوت البلاستيكية




Model / Modelo	AS-STG-9000-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	9600 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	3500 MM / 5000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2000 MM / 2500 MM / 3000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno




Model / Modelo	AS-STG-9000-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Genişliği (W) / Tunnel Width (W) / Ancho Del Túnel	9600 MM
Üst Kemer Yüksekliği (H) / Top Arch Height (H) / Altura Del Cinturón Superior	3500 MM / 5000 MM
Makas Aralığı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2000 MM / 2500 MM / 3000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygun / Suitable For Polyethylene Plastic Cover / Adecuado Para Revestimiento De Plástico De Polietileno

9-10 MT Tünel Seralar / Greenhouse Tunnel / Invernaderos De Túnel / Туннельная Теплица / نفق البيوت البلاستيكية


Model / Modelo	AS-STG-9000-A
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Geniřlięi (W) / Tunnel Width (W) / Ancho Del Túnel	9000 MM
Üst Kemer Yükseklięi (H) / Top Arch Height (H) / Altura Del Cinturón Superior	3500 MM
Makas Aralıęı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2000 MM / 2500 MM / 3000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygunudur / Suitable For Polyethylene Plastic Cover Adecuado Para Revestimiento De Plástico De Polietileno



AS-STG-10000-A



AS-STG-10000-B

Model / Modelo	AS-STG-10000-A / AS-STG-10000-B
Havalandırma Tipi / Ventilation Type / Tipo De Ventilación	Tek Tepe / Yan Sarmalı Havalandırma / Single Top Vent. / Side Roll Vent. / Sola colina / Ventilación De Bobina Lateral
Tünel Geniřlięi (W) / Tunnel Width (W) / Ancho Del Túnel	10000 MM
Üst Kemer Yükseklięi (H) / Top Arch Height (H) / Altura Del Cinturón Superior	3500 MM / 5000 MM
Makas Aralıęı (S1/S2) / Distance Between Arches (S1/S2) / Rango De Armadura	2000 MM / 2500 MM / 3000 MM
Kaplama Malzemesi / Covering Material / Material De Revestimiento	Polietilen Plastik Kaplama İçin Uygunudur / Suitable For Polyethylene Plastic Cover Adecuado Para Revestimiento De Plástico De Polietileno



AYTEKİN SERA SİSTEMLERİ A.Ş.

Çilek Mh. Tırmıl Sanayi Bölgesi 63140 Sk. Mersin Türkiye
Fabrika/Factory: +90 324 234 00 33 (pbx) • Faks: +90 324 234 16 35
Türkçe: +90 530 610 1980 English / Español: +90 541 304 0026
ПО-русский : +90 530 668 9160 • العربية +90 533 695 9906
www.aytekinsera.com • info@aytekinsera.com

   / Aytekin Sera

www.aytekin.com.tr

